



www.ebodaq.com




2025 2026

HYUNDAI L&C Bodaq

INTERIOR FILM





Index.

O1 BASIC S, PNC, PNT, ZSW, PTW, SMT, CP, HS, LM, LS

				c			DNC	DTW	CMT
0.0445	45	0170		S	45	0.0050 40	PNC	PTW	SMT
O S115	15	○ S179	15	S216	15	S250 13	PNC54 11	PTW06 19	SMT14 16
○ S126	15	S181	15	S217	14	S251 14	NEW PNC55 09	PTW07 19	SMT15 17
S127	14	S183	15	S 218	14	S252 14	NEW PNC56 11	O PTW08 19	○ SMT16 16
S128	15	S185	14	S219	13	S253 14	NEW PNC57 11	PTW09 18	O SMT17 16
S 140	15	S186	13	S230	14	S254 13	NEW PNC58 10	O PTW10 18	SMT18 17
O S141	15	S188	13	S231	15	NEW S255 15	NEW PNC59 10	O PTW11 18	SMT19 16
S143	15	S189	13	S232	13	NEW S256 15	PNT	PTW12 18	SMT20 17
S 145	14	S194	14	● S233	14	NEW S257 15	O PNT01 20	PTW13 18	SMT21 16
S146	13	S195	14	● S234	14	NEW S258 15	O PNT02 20	O PTW14 18	SMT22 17
S 147	13	S 197	15	S235	15	NEW S259 15	O PNT03 20	● PTW15 19	● SMT23 17
S 149	15	S198	14	S236	15	NEW S260 15	O PNT04 20	O PTW16 18	O SMT24 16
S 150	13	S200	14	S237	14	PNC	PNT05 20	SMT	СР
O S153	14	S201	14	S238	14	PNC41 11	● PNT07 20	O SMT01 16	CP202 21
S156	15	S202	14	S239	14	O PNC42 10	PNT08 20	O SMT02 16	HS
S157	15	S204	14	S240	15	O PNC43 11	PNT09 20	O SMT03 16	HS204 21
S158	15	S207	14	S241	14	O PNC44 10	● PNT10 20	SMT04 16	LM
S 159	15	S208	15	S242	14	O PNC45 11	ZSW	■ SMT05 17	LM202 21
S166	13	S209	15	○ S243	15	PNC46 11	O ZSW04 18	● SMT06 17	LS
S169	13	S210	15	O S244	15	O PNC47 09	PTW	● SMT07 17	LS102 21
S173	13	S 211	15	O S245	15	O PNC49 09	O PTW01 18	● SMT08 17	LS103 21
S175	13	S212	14	S246	14	O PNC50 10	O PTW02 18	● SMT10 17	LS104 21
O S176	15	S213	13	S247	14	O PNC51 09	O PTW03 18	● SMT11 17	LS106 21
O S177	15	O S214	14	S248	14	O PNC52 09	● PTW04 19	O SMT12 16	
O S178	15	S215	14	S249	14	O PNC53 10	● PTW05 19	O SMT13 16	

O3 NATURAL SURFACE VM, UMI, RM, NF, RF, TNS, NS, APZ

VM		UMI		RM		NF		TNS		APZ	
NEW VM901	96	UMI01	98	RM001	99	NF901	100	TNS03	103	APZ05	103
NEW VM902	96	UMI02	98	RM002	99	NF902	100	TNS05	103	APZ18	103
NEW VM903	97	UMI05	98	RM003	99	NF903	101	TNS07	103	APZ25	103
NEW VM904	97	UMI06	98	RM004	99	NEW NF904	101	TNS10	103	APZ26	103
NEW VM905	95	UMI07	98	RM005	99	NEW NF905	101	NS			
NEW VM906	95	UMI08	98	RM007	99	NEW NF906	101	NS601	99		
NEW VM907	96			RM008	99	RF		NS602	99		
NEW VM908	95			RM009	99	RF001	102				
NEW VM909	95			RM011	99	RF008	102				
NEW VM910	96			RM012	99	RF010	102				
NEW VM911	97			RM015	99	RF011	102				
				RM051	99						

O2 WOOD LW, SPW, ZX, W

LW			S	PW			7	ZX				W	
LW101	47	SPW15	63	SPW55	71	ZX102	83	ZX155	82	W177	92	W727	91
LW102	46	SPW16	63	SPW56	51	ZX103	82	ZX156	83	W183	89	W816	92
LW103	47	SPW17	72	SPW57	51	ZX104	85	ZX157	86	W189	87	W823	92
LW104	49	SPW18	72	SPW58	54	ZX107	84	ZX158	85	W192	90	W842	92
LW105	48	SPW19	78	SPW59	54	ZX108	84	ZX159	84	W196	87	W845	89
LW106	49	SPW20	78	NEW SPW60	51	ZX109	84	ZX161	82	W198	87	W863	87
LW107	40	SPW22	57	SPW61	62	ZX110	84	ZX162	83	W200	89	W864	91
LW108	39	SPW23	57	SPW62	62	ZX111	84	ZX163	83	W206	92	W867	89
LW109	41	SPW24	55	SPW63	65	ZX113	83	ZX165	82	W207	92	W870	91
LW110	32	SPW25	55	SPW64	65	ZX114	84	ZX166	82	W260	92	W871	88
LW111	31	SPW26	67	SPW65	65	ZX116	85	ZX169	85	W301	88	W874	90
LW112	33	SPW27	67	SPW66	68	ZX118	85	ZX170	82	W302	92	W877	88
EW LW113	36	SPW28	67	SPW67	68	ZX119	85	ZX171	82	W351	88	W878	88
LW114	37	SPW29	64	SPW68	66	ZX123	85	ZX172	84	W357	90	W879	89
EW LW115	35	SPW30	64	SPW69	66	ZX124	85	ZX173	84	W375	88	W880	91
LW116	29	SPW40	50	SPW70	61	ZX125	86	ZX174	86	W376	92	W881	90
LW117	29	SPW41	81	SPW71	61	ZX126	85	ZX175	86	W388	90	NEW W882	87
EW LW118	44	SPW42	81	SPW72	77	ZX129	86	ZX176	82	W389	88	NEW W883	93
EW LW119	45	SPW43	59	SPW73	77	ZX130	83	ZX177	83	W390	89	W933	87
LW120	43	SPW44	59	SPW90	60	ZX132	84	ZX178	82	W401	89	W935	87
SPW		SPW45	56	SPW91	70	ZX133	85	NEW ZX179	83	W504	89	W937	87
SPW01	80	SPW46	56	SPW92	70	ZX134	86	NEW ZX180	82	W508	92	W942	91
SPW02	80	SPW47	79	SPW94	73	ZX137	84	W		W528	90	W943	92
SPW03	52	SPW48	79	SPW95	74	ZX141	86	W011	87	W531	89	W946	87
SPW04	52	SPW49	75	SPW96	74	ZX144	83	W012	87	W538	89	W949	91
SPW05	53	SPW50	75	SPW97	60	ZX145	83	NEW W015	88	W632	90	NEW W952	88
SPW11	73	SPW51	76	SPW98	58	ZX149	84	NEW W016	93	W638	92	NEW W953	91
SPW12	73	SPW52	76	SPW99	58	ZX152	83	W134	89	W681	92	NEW W954	93
SPW13	69	SPW53	53			ZX153	82	W141	92	W705	93	NEW W955	93
SPW14	69	SPW54	71			ZX154	85	W171	92	W722	93	NEW W956	93
						_							

04 **STONE & MARBLE** PM, NS

	PM						NS				
PM003	108	PM010	106	NS118	114	NS402	115	NS711	113	NS814	113
PM004	110	PM012	107	NS119	114	NS403	115	NS715	115	NS815	113
PM006	111	PM014	107	NS120	114	NS703	115	NS716	113	NS822	112
PM007	111	PM016	109	NS121	114	NS705	115	NS717	113	NS823	112
PM008	110	PM017	109	NS122	112	NS708	114	NS804	115	NS898	112
PM009	106	PM019	105	NS123	112	NS710	113	NS806	114	NS899	112
				NS401	115						





Digital Sample Book

Launch of Bodaq Interior Film | Scan the QR code to explore Bodaq Interior Films online. www.ebodaq.com

Bodaq Digital Book

Introducing the Bodaq Interior Film Digital Sample Book

LIVING & CULTURE

Experience contemporary interiors that seamlessly blend functionality with cultural aesthetics, brought to you by Hyundai L&C.

CONTENTS

O1 BASIC

02 **WOOD**

03 NATURAL SURFACE

Natural Fabric

04 STONE &MARBLE

Simulation Explore how Bodaq Interior Film can be applied to various residential (kitchen, living room, bedroom, entrance, hallway) and commercial spaces (hotels, hospitals, offices, stores, cafes, banks, daycare centers) through simulations.





Experience the Bodag online showroom, **Showroom** designed in a 3D VR panorama format.


Product Browse the full range of Bodaq products, including Index patterns, colors, full-width images, and pattern videos (full-width images and pattern videos available for select patterns).





Gallery

Application Discover a variety of project examples that showcase how Bodaq products have been applied in real-world settings.



Customer Access installation guide videos, explore the **Support** digital sample book, and submit product inquiries with ease.



25-26 Trend Summary

Interior Design Trends Proposed by Hyundai L&C

In the face of prolonged economic challenges and uncertainty, achieving extraordinary milestones has become more difficult. As a result, the importance of living a balanced and peaceful day is gaining more attention. At the same time, the concept of wellness—centered on both physical and mental well-being—is becoming more widespread, encouraging people to rethink what happiness means. This year's In-Trend Seminar, themed "GOOD MOOD," focuses on maintaining positive emotions. It explores the growing movement of wellness-focused consumers and examines how design trends are evolving across all aspects of life.

Nordic Cabin Spaces that Foster Connection with Nature



Cold-climate Cachet / Nocturnal Life / No Tech

Design Keywords

Social Backgrounds

Cabincore Minimalist tones with natural wood interiors. Open spaces designed to create a deeper sense

of connection with nature.

Resilience Shelters designed to protect life from extreme

SPW59
LW106
SPW64
S252
S202

Color Warm and natural wood tones paired with deep browns and greens for a cozy ambiance. **Material** Wood finishes emphasizing natural grains and knots, complemented by soft fabric textures that create a warm atmosphere.

High-End Residential Spaces for Senior Generations



Social Backgrounds

Life Curating / Age Positive / Well-aging

Design Keywords

High Rise Living High-rise homes offering stunning views that evoke pride and accomplishment.

Jewel Surface Premium finishes that act as jewelry-like

accents within spaces.

Medical Spa Spaces integrating medical well-being into

all aspects of life.

Lacquer	PNC52
Spumante	PNC43
Sepia Rose	VM905
Windward Blue	VM904
Tap Shoe	NS804

Gold Fusion

Purple Heather

Color Luxurious beige tones creating an elegant atmosphere, accented with silver blue and deep

Material Cool and stately marble and metallic materials, balanced with warm, textured stone surfaces.

Joy-conomy

Spaces Dedicated to Ultimate Wellness



04

Social Backgrounds

Get Well Boom / Wonder & Joy / Lucky Girl Thinking

Design Keywords

Peterior

Glimmer Vibe Interior designs emphasizing visual focus and sensory experiences through color.

Spaces designed for harmonious cohabitation

Re-energized Fitness-integrated spaces that recharge the

mind and body.

Color Mustard, green, and rosy hues, combined with pale cool tones for a balanced effect.


Material Birch wood showcasing natural grains, paired with tactile carpet textures for added warmth.

Commercial Space Proposal

#ComfortableOffice #FabricInterior #SubtleLuxury

Experience a refined and soothing office environment with the rich texture of Natural Fabric NF902 and the cool, dark brown wood grain of Long Wood LW119. These elements come together to create a balanced space that is gentle on the eyes and exudes understated luxury.







NF902 Herringbone

Ebony Oak LW119

* The images shown are for illustrative purposes and may differ from the actual product.

S146

S219


S249

$\mathbf{Bodaq} \times \mathbf{Q'PID \cdot Q'ube}$

Bodaq Interior Film X Silk Wallpaper **Q'PID · Q'ube**

#WhiteInterior #CustomColorDesign #WallAndMoldingMatch

Create a clean and polished white interior with Hyundai L&C's "Bodaq" Interior Film and "Q'PID, Q'ube" Silk Wallpaper. Achieve a refined and cohesive finish by matching wall and molding colors for a sophisticated touch.



$Bodaq \times LIVART$

Create a clean, cohesive home interior by pairing the high-quality Livart with Bodaq film in the same color for a seamless look.


Basic



















Basic.



HYUNDAI L&C 2025 — 2026
BODAQ INTERIOR FILM
NEW COLLECTION

Premium Painted Concrete
Solid
Super Matt
Painted Wood
Premium Painted Wood
Texture

01




LIVART Matching Film ● Fire Retardant ● General










Moon Stone


Moon Stone

• • PNC49 Concrete White

Premium Painted Concrete

Create a refined, natural space with the Bodaq Painted Concrete Series, which captures the authentic texture and subtle shading of concrete, as though hand-plastered.








Solid


 L
 LIVART Matching Film
 ● Fire Retardant
 ● General
 From bright pastel tones reminiscent of spring sunlight to trendy, spotlight-worthy hues, Bodaq's expanded color palette offers a deeper and more diverse selection. Transform your interior into a sophisticated and inspiring space, filled with a unique story of your own. ● S115 Matt White L N ● S255 N • S260 S243 \$208 • • S166 • S214 • • S153 • • S127 \$241 • • S176 \$245 \$216 \$217 • • S126 \$188 • S239 \$185 \$194 • • S177 • • S178 \$244 \$219 • • \$146 • • \$189 • S212 \$249 \$238 • S215 • • S141 • • S169 • • S186 \$200 \$195 • • S128 • • S156 \$240 \$207 \$246 • • S158 ● S236 Sensual Gray LN ● S258 \$213 \$175 \$248 \$230 \$237 \$247 • • S181 \$209 • S232 \$201 \$198 \$251 \$234 • • S157 \$210 \$235 • • \$143 • • S173 ● S159 Charcoal Gray LN ● S259 \$250 • • S183 \$231 \$150 \$202 \$242 \$252 \$145 \$147 \$149 \$254 \$233 \$204 \$218 • S253 \$211 \$197 \$140

13 14 15


Super **Matt**



The Bodaq Super Matt Series is a premium product, featuring a unique surface texture treatment that offers exceptional resistance to everyday stains and scratches. It provides a gentle visual effect and a luxurious tactile experience, enhancing the sophistication of any space. Please note that the Fire Retardant and General versions are produced using different processes, resulting in variations in surface texture. (*Sample book reference: General version).



Painted Wood




While preserving the unique texture of wood, it evokes the soft colors of paint. The Painted Wood series adds a special touch to the space with its upgraded look.








Premium **Painted Wood**







LS103

BODAQ INTERIOR FILM NEW COLLECTION

Long Wood Origin Wood Premium Wood Standard Wood 02----

Wood.

23




Variety of changes made with wood full of sensibility. Wood which never goes out of style is an element that matches every space. It is the most fundamental yet the most wide-ranged item. We invite you to the world of wood which always presents a new interpretation of the familiar grain, color and texture. A majestic wood now decorates your space.






Wood Palette



Wood Palette

The newly launched 2025–2026 Bodaq Interior Film Sample Book features the LW and SPW Wood Map pages. Now, you can easily explore the diverse color options of the LW and SPW product lines.



 ■ LIVART Matching Film
 ■ Fire Retardant
 ■ General
 ||| Vertical
 ||// Half Grain
 ♠ Wood Grain

 ● SPW91 \// 70p • SPW63 ||| 65p • SPW46 ||| 56p 68p • SPW58 🙈 54p • SPW17 🙈 72p • SPW15 🙈 SPW66 80p • SPW95 🙈 ● SPW59 🙈 54p • SPW01 🙈 74p • SPW13 🙈 73p •• LW102 🙈 67p ● SPW96 ⋒ 46p ● SPW26 ⋒ ● SPW94 🙈 49p • SPW67 ||| ● SPW12 🙈 NEW ● ■ LW108 ⋒ 39p ■ ■ LW104 ⋒ ● SPW69 🙈 51p • • **SPW27** ⋒ 67p ● SPW19 ⋒ 66p ● SPW56 ⋒ 53p ● **SPW20** ⋒ ● LW105 🙈


69p • SPW48 W

SPW41 |||

81p • SPW14 🙈

79p • SPW28 🙈

67p



Enhance spaces with high ceilings by creating a luxurious ambiance using the extended 1,800mm vertical width of Bodaq Long Wood (LW Series).









Nordic Oak New ●● LW111 ⋒

















Timber Oak

NEW ● ■ LW108 ⋒









Ebony Oak
■ LW120
■













Denver Oak














 Introducing the SPW series, a wood beyond wood, flawlessly recreated with Bodaq's unique technology and premium design. Experience a new dimension of premium finishes with the sturdy texture and natural feel, closely resembling real wood.
















Oak ● SPW04 ¼/







Vertical Wood ● SPW05 |||



ak • SPW53 A








Ash ● SPW59 ♠











Stripe Wood
















Solid Oak ● SPW23 ♠
















Oak •• SPW44 🙈



African Teak ● SPW90 |||



African Teak ● SPW97 |||







Eucalyptus ● SPW71 ⋒




Eucalyptus ● SPW70 ⋒







Wash Oak ● SPW62 ♠









Velvet Oak ● SPW16 ⋒
















Oak • • SPW65 |||







Oak • SPW69 🙈











Walnut ● SPW27 ⋒



Walnut ● SPW28 ⋒


















ak ● SPW14 ⋒







Oak •• SPW92 W







Elder •• SPW54 |||



Elder • SPW55 |||



Wild Oak ● SPW17 ♠



Wild Oak ● SPW18 ♠







White Oak • SPW11 A



White Oak ● SPW12 ⋒



Soft White Oak




























Walnut ● SPW52 |||











Walnut •• SPW72 |||














Walnut ● SPW48 W








Wild Oak ● SPW02 ⋒








Teak ● SPW41 |||




Teak ● SPW42 |||

Premium Wood

82




천연 그대로의 우드를 재현하여 시각적인 아름다움뿐만 아니라 손끝에서 느껴지는 촉감까지 디테일이 살아있는 프리미엄 우드로 자연과 함께 숨 쉬는 친자연적인 생활공간을 경험해 보세요.






























Natural Surface.

HYUNDAI L&C 2025 — 202

BODAQ INTERIOR FILM

NEW COLLECTION

은은하면서도 드라마틱한 메탈감을 감각적인 컬러로 구현한 벨벳메탈을 통해 더욱 업그레이드 된 고급스러움을 경험해보세요.



● 방염 ● 비방염



Rose Gold VM906



Champagne VM905



Light Brown VM908




Brown NEW • • VM909


03

Velvet Metal JMI Real Metal Natural Fabric Real Fabric Deep Emboss & Gold



Velvet **Metal**








The epitome of modern elegance, illuminated in brilliance. Experience the captivating charm of UMI Metal, presenting the most exquisite expression of metallic beauty.

The Real Metal Series, crafted with Bodaq's exclusive technology and expertise, offers the unique charm and radiant beauty of metal. From elevators and window mullions to furniture doors, it enhances both residential and commercial spaces with a sophisticated ambiance.


Real **Metal**































실제 원사를 직조하여 제작한 천연패브릭 시리즈로 보다 따듯하고 아늑한 공간 연출이 가능하며 한층 더 고급스러운 실내 분위기를 선사합니다.













Oxford Twill NEW NF905



Oxford Twill NEW NF906



Herringbone • NF902



Herringbone • NF901


 ** 상기 이미지는 이해를 돕기 위한 것으로 실제 제품과 상이할 수 있습니다.
 101

Real Fabric The Bodaq Real Fabric Series is crafted using a weaving technique that intertwines PVC yarns, offering the natural texture unique to fabric along with exceptional durability.



102

Deep Emboss & Gold




STONE & MARBLE

Stone & Marble.

04

Premium Marble
Stone & Marble










Venato • • PM019

HYUNDAI L&C 2025 — 2026 BODAQ INTERIOR FILM

Premium **Marble**







The timeless allure of marble patterns, cherished for their enduring charm, has been elevated with a more lifelike design. The premium marble series combines visual sophistication with advanced coating technology applied to the marble surface. Its satin-like, velvety, sanded stone texture delivers an authentic feel, radiating luxury in both look and touch.







■ Fire Retardant■ General




• PM014

Tundra

PM012

Premium **Marble**





Onyx • • PM003










■ Fire Retardant■ General



Fior di Bosco • PM016


Premium **Marble**











Stone & Marble









Sierra Stone

NS822

NS823








● NS898 Elba Stone



NS123





 $\ensuremath{\mathbb{X}}$ The images shown are for illustrative purposes and may differ from the actual product.

Flake Cement

Stone & Marble







Granite NS121



White Marble • NS118 Color Terrazzo



White Marble

NS118





NS708

NS806 **NS119** Travertine



Mono Terrazzo



• NS715 Cement






Concrete



NS401

Concrete



Concrete

NS715





NS804

We Care for the Environment



Eco-Friendly Building Material Certification (HB Mark)

Bodaq interior films (general) use water-based adhesives and have earned the highest grade in harmful substance testing under the HB Mark certification, established by the Korea Air Cleaning Association for eco-friendly building materials.



Environmental Label Certification

The Bodaq Basic series (S, LS, PNC, PNT, SMT, ZSW / General) has received Environmental Label Certification as a phthalate-free and eco-friendly product. Certification details may vary by product line, so please refer to the technical documentation available on the Bodaq website. (Purpose of Certification: Testing for the reduction of hazardous substances and environmental pollution in daily life.)



Environmental Product Declaration (EPD Certification)

Bodaq Interior Films have earned the EPD Certification, which evaluates the environmental impact across all production stages—raw material sourcing, manufacturing, distribution, usage, and disposal. Bodaq remains committed to ongoing improvements for environmental sustainability.



Atopy-Friendly Mark

Recommended and certified by the Korea Atopy Association, the Atopy-Friendly Mark is awarded after rigorous assessments based on test reports. Bodaq interior films have received this certification, ensuring they are safe for use, even for individuals with atopic conditions.

We Prioritize Safety



소바사어기수

116

Flame Retardancy Performance Test

Bodaq's Fire Retardant interior Films are only labeled and sold as certified if they pass Flame Retardancy Tests conducted by the Korea Fire Institute (KFI). Test result reports for specific product lots are available upon request at local dealerships.

Flame Retardancy Performance [Certified by Korea Fire Institute]					Stain Resistance					
Char Length 20 cm or less	Charred Area 30 cm² or less	After-Flame Time 3 seconds or less	After-Glow Time 5 seconds or less	Smoke Density 200 Ds or less	Soy Sauce	Cola	10% Hydrochloric Acid	SSS Coffee	5% Ethanol	Wine Vinegar
Flame Retardant Certification					No Visible Changes Observed					

^{**} For test reports, construction specifications, and installation guides, please contact our headquarters or your nearest dealership.

HYUNDAI L&C 2025 — 2026 BODAQ INTERIOR FILM

Installation Guidelines

Installation Precautions

- $\bullet \ \ \text{Check the condition of the substrate (product name, product type, surface condition) before installation.}$
- -If any issues are found notify the supplier
- For MDF, ensure the density is uniform, as differences in density can affect adhesion and stability during installation.
- · Follow the recommended cleaning procedures for the substrate
- For film covering and ABS doors, clean the surface of any contaminants and treat any damaged areas before installation.
- * When using sandpaper on ABS doors, avoid causing uneven surfaces.
- For MDF, PB, and similar materials, smooth rough surfaces with sandpaper or putty before installation.
- Be cautious of color differences between production lots. It's best to avoid mixing lots during installation.
- · When exposed to low temperatures during winter, the surface may crack, and adhesion strength may decrease. Take extra care.
- Avoid substrates with scratches or wax components, as these can reduce adhesion.

Primer Stage

- It is recommended to use Bodaq Primer, produced by Hyundai L&C, for optimal performance and stability.
- MDF, PB, and other wood materials have a high absorption rate, so 2-3 coats should be applied on cut edges,
- After applying the primer, allow at least 2 hours for it to dry thoroughly before applying the film.
- ** Store Bodaq Primer (water-based) in a cool, shaded area, and do not use if the product has frozen. Take care during winter storage.

Installation (Adhesion) Stage

- Maintain a room temperature (15°C-23°C) to eliminate any residual moisture on the wall.
- For products like SPW, LW, SMT, UMI, PNC, and PNT, which have special coatings, ensure the temperature is maintained before installation.
- · When installing special products, apply primer, allow it to dry, and use extra pressure to finish the installation.
- Pay special attention to corners, as insufficient pressure may cause peeling.
- Avoid moisture and direct sunlight during installation, and do not use the film outdoors.
- During hot summer months, sealing the space after installation can lead to high temperatures, potentially causing bubbles or peeling. To prevent this, ensure adequate ventilation throughout the process.

Product-Specific Usage Considerations

SPW / LW Products (Premium Matte/Gloss Mixed Type), PNC / PNT Products (Deep Embossed Coating Type)

- · Handle with care to prevent damage to the special coating layer during installation, particularly when fitting into corners.
- The surface features deep embossing, which may lead to tearing if subjected to excessive pressure or frequent removal and reattachment.
- Clean surfaces using mild detergent or water to avoid damage.

SMT Products (Matte Special Coating Type)

- The special coating may hinder the film's ability to slide during installation, so be sure to apply adequate pressure.
- Avoid contamination between the substrate and the adhesive surface to prevent marks or protrusions.
- The special coating may make overlapping installations difficult, so use caution.
- The product may not return to its original shape if wrinkled or marked, so handle it with care during storage and use.
- Be aware that F/R and General versions may have different surface textures.

RF Products (Woven Type)

- Be careful of scratches when using sharp tools due to the material's texture.
- ullet The thick material may be difficult to bend or overlap, and cutting may be challenging.
- There is no film layer on the surface, so ensure careful use of the hard card to avoid surface damage.
- ${\boldsymbol{\cdot}}$ Tunneling may occur if the fabric is re-stretched after use.

NF Products (Fabric Type)

- The fabric material may unravel during cutting, leaving threads behind. Applying pressure with the hard card may be difficult.
- This product is designed for flat installations and may be difficult to bend or cut due to its thickness.
- Overlapping may be hard due to the water-repellent and F/R coating on the surface.
- Handle carefully to avoid surface damage, as there is no film layer on the surface.

VM/RM Products (Pearl Satin Finish)

• The pearl satin finish may show color variation depending on the distribution of pearl pigments on the film surface. Excessive detachment after installation could cause peeling.

UMI Products (Premium Real Metal Type)

- The surface effect requires installation in a very clean environment to avoid marks or protrusions.
- If the product is wrinkled or marked, it cannot be restored due to its special structure. Handle with care during storage and use.
- This product is harder than standard products, so bending or overlapping may be difficult.
- Tunneling may occur if the fabric is re-stretched after use.

HS Products (High Gloss Type)

• Due to the high hardness of the product, sufficient pressure must be applied to prevent corner lifting. Use a soft cloth on the hard card to avoid scratching the gloss surface.

TNS Products (Deep Embossed Leather Type)

• The thick material requires sufficient pressure during installation to ensure proper bending and overlapping.

Other Precautions

- There is a risk of discoloration due to UV exposure.
- After installation, maintain room temperature for at least 1-2 days to allow the film to set properly.

For performance certifications and construction specifications, please contact Hyundai L&C.

Hyundai L&C / www. ebodaq.com